

**WANT TO JOIN OUR  
NETWORK OF DISTRIBUTORS?  
CONTACT US NOW!**

 Vetedy Group  
 Vetedy Group  
 Vetedy\_Group

**CONTACT**

Tel. : (+352) 26 30 61-1  
Fax: (+352) 26 30 61-61  
info@vetedy.com

**HEADQUARTER**

**VETEDY LUXEMBOURG S.A.**  
39 route d'Arlon  
L-B410 STEINFORT  
GRAND DUCHY OF LUXEMBOURG

**VETEDY  
ASIA, LTD.**

Suite 1901 level 19,  
Blvd Plaza Tower 1,  
Downtown, DUBAI  
UNITED ARAB EMIRATES

**VETEDY  
BELGIUM S.A.**

50 zone artisanale  
de Weyler  
B-6700 ARLON  
BELGIUM


**VETEDY  
CAMEROUN S.A R.L.**

BP 4363 NLONGKAK  
YAOUNDE  
CAMEROON

**PT. VETEDY  
INDONESIA**

Jl. Teuku Umar Barat  
No. 12B, Denpasar  
BALI - 80114  
INDONESIA

[www.vetedy.com](http://www.vetedy.com)



**DECKING - CLADDING - FLOORING**

**WE COMBINE AESTHETICS AND DURABILITY**



## TABLE OF CONTENTS

### **ABOUT US**

Vetedy, Global Reach

### **OUR VISION**

CEO Statement

### **PRODUCTS AND SERVICES**

Softline®, Screwline®, Techniclic®, Flooring, Maintenance

### **PORTFOLIO**


Our projects around the world

### **CORPORATE SOCIAL RESPONSIBILITY**

Our commitment and certificates

### **BECOME A DISTRIBUTOR**

Join our worldwide network



Our Factory in Belgium – Vetedy Belgium



## Vetedy, Global Reach

# ABOUT US

Since more than 20 years, Vetedy Group has specialized in the production and distribution of exotic timbers for outdoor decking, cladding/ceiling and indoor flooring. Our 3 factories located in Cameroon, Indonesia and Belgium allow us to ensure fast distribution and a perfect control on the quality of our products.

Counting a network of approximately 150 contractual distributors in more than 100 countries, Vetedy Group is one of the world's leading provider in decking and cladding solutions.

Our international offices from Luxembourg (HQ) passing by Dubai till Indonesia give us a perfect covering to instantly reply to our clients needs and technically support them in their own time zone.

## OUR OFFICES & FACTORIES



**Vetedy Group** - Head Office located in Luxembourg, in the heart of Europe.

**Vetedy Indonesia** - team dedicated to the retail of our products exclusively in Indonesia.

**Vetedy Asia** - based in Dubai and Indonesia covers all activities in Asia and Oceania.



**Vetedy Belgium** - Our heart factory established in Belgium counts a total space of 15.000 sqm with automated production and high technology ovens both for Kiln Dried and Thermo process.

**Vetedy BMI** - Located in Indonesia our biggest factory with 40.000 sqm integrates the complete production chain from the sawmill, kiln dry ovens till packaging and export services.

**Vetedy TDC** - Our sawmill in Cameroon where we process all African species.

## CEO STATEMENT

*"We inspire to combine **durability** and **aesthetics** by providing the most persistent choice of hardwoods and continuously pushing our technology to the top of innovation with our unique and worldwide patented Softline® and Techniclic® clip systems.*

*Helping people to better understand, better use hardwood is our common purpose and the way in which we support our clients and ambassadors. This is what we do, this is what we care about, this is what we are all about !"*

### **Patrick Deumer**

Vetedy Group Founder and Owner



**Softline® WOODS:**  
THE WOOD. ROT PROOF. STABLE



- Class 1, rot proof, highest class of durability
- Selected high-grade
- FSC, SVLK, IBAMA or OLB certified\*
- Stable, kiln-dried, with limited distortion
- Cautiously selected and without need of preliminary treatment
- Smooth anti-slip surface, without splinters
- Tongue and grooves at extremities
- Molded profile for clips fixation

\*Depends on species

### Merbau



**Country of origin:** Indonesia  
**Density:** 830 Kg/cu m  
**Hardness:** Hard  
**Formats:**




also available in Screwline®

**Notes:**  
High durability  
Not vulnerable to lyctus beetle attack  
Low impregnability  
Ideal for outdoor construction  
The Merbau rejects a brown liquid during the first few months, take precautions with the use of a gutter to collect the liquid

### Jaya



**Country of origin:** Asia  
**Density:** 880 Kg/cu m  
**Hardness:** Hard  
**Formats:**



exclusivity Softline®

**Notes:**  
High durability  
Not vulnerable to lyctus beetle attack  
Low impregnability  
Ideal for outdoor construction

### Teak



**Country of origin:** Myanmar (Burma) & Indonesia  
**Density:** 650 Kg/cu m  
**Hardness:** Semi-Hard  
**Formats:**




also available in Screwline®

**Notes:**  
Excellent durability  
Not vulnerable to lyctus beetle attack  
Low impregnability  
Ideal for nautical construction

### Ipe



**Country of origin:** South America  
**Density:** 1040 Kg/cu m  
**Hardness:** Very Hard  
**Formats:**




also available in Screwline®

**Notes:**  
High natural durability  
Not vulnerable to lyctus beetle attack  
Low impregnability  
Ideal for outdoor construction

### Padauk




**Country of origin:** Cameroon, Gabon  
**Density:** 810 Kg/cu m  
**Hardness:** Hard  
**Formats:**



also available in Screwline®

**Notes:**  
Excellent durability  
Not vulnerable to lyctus beetle attack  
Low impregnability  
Ideal for outdoor construction



A Joist  
B Clip  
C Grooved wooden board


This system, designed in very resistant composite material, guarantees long-lasting durability.

## How the system increases the **durability** of your deck?

- ✓ Allow free movement of the wood to prevent cracks
- ✓ Free air circulation for an extra protection against rot over the years
- ✓ No direct contact between items A & C for good ventilation
- ✓ Tongue and Groove to prevent twists

## Softline® OUTDOOR DECKING: EXCLUSIVITY OF THE SYSTEM

The fixation is a revolutionary system enabling the installation of planks without any apparent screw, improving both the durability of the structure and gives a perfect homogeneous aesthetics.



## How it improves the **aesthetics** of your deck?

- ✓ Invisible fixation
- ✓ Soft planks junction
- ✓ Regular gap
- ✓ Vertical installation - stairs, planterbox...
- ✓ Horizontal and vertical frame

## Extra **benefits?**

- ✓ Removable board for easy access
- ✓ Clip made of composite material – High mechanical strength and quality
- ✓ Planks of fixed interval saving installation time and material
- ✓ Worldwide patented system




THE *Softline*® SYSTEM COMBINES ALL REQUIREMENTS CONCERNING BOTH **DURABILITY** AND **AESTHETICS**. WE MOULD SPECIFIC GROOVE

In order to guarantee a perfect assembling with our Softline® system, we mould specific grooves, with a machine specially designed for this purpose, in our factory.

THE WOOD PROFILE IS OFFERED IN THREE SIZES


- 20 x 100 x 800 – 2400mm
- 20 x 96 x 800 – 2400mm
- 20 x 90 x 900 – 1800mm

\*depending wood species



TONGUE AND GROOVE AT EACH EXTREMITY

Ensures perfect junction between two strips.





# OUTDOOR DECKING: STANDARD BOARDS

Reserved for trading activities, Vetedy Group has developed a range of standard decking, The Screwline®. Our long lasting experience and presence in the wood industry as well as our sawmills allow us to offer species from all over the world, in your specific pre-cut dimensions.



Class 1: Highest class of Wood durability	Class 1 only	All type
Grade A – Premium Choice	Premium Choice only	First and Second choice
Oven	Kiln Dried	Kiln Dried
Sizes	20 x 90 -96 - 100 x 800 - 2400mm	
Interval	Fixed	Random
Sizes' Proportion	85% of longest length	Random
E2E	Yes - R: 2.5mm	Yes - R: TBD
Tongue and groove at extremity	✓	—
Molded profile for Softline®	✓	—
Warranty	✓	—
Availability	Vetedy	Worldwide



Techniclic®

# WALLS & CEILINGS COVERING

The Techniclic® installation can be done outdoor or indoor for walls and ceiling! The boards are available in 3 widths with 4 type of spaces. It will gives you many possibilities to create for your own personalised design with a perfect aesthetics.

This simple concept will save you a significant amount of installation time over traditional systems and increase drastically the durability of the wood.



01 Fixation of the <bases> Techniclic®



02 Insertion of the <clips> Techniclic® into the bases



03 Installation of the wooden board




04 Tightening of the wooden board, during installation of the next <clip>



05 Installation of the next wooden board



06 Follow this process to finish your cladding



## SIMPLE. FAST. INVISIBLE.

### How the system increases the **durability** of your cladding?

- ✓ Allow free movement of the wood to prevent from cracks
- ✓ Open joint system allowing ventilation
- ✓ Tight selection of very stable woods only
- ✓ No direct contact between Items (A & C) for good ventilation
- ✓ Clip made of composite material – High mechanical strength and quality

### How it improves the **aesthetics** of your cladding?

- ✓ Invisible fixation
- ✓ Vertical and horizontal installation
- ✓ Soft planks junction
- ✓ Modern design guaranteed
- ✓ Regular gap

### Extra **benefits**?

- ✓ Removable board – easy access
- ✓ 2x faster installation thanks to the base
- ✓ Clip, base and spacer made of composite material – High mechanical strength and quality
- ✓ Planks of fixed interval saving time and material
- ✓ Worldwide patented system
- ✓ Over 30 different designs

### OUR SELECTED WOODEN SPECIES

WOODEN SPECIES	THERMO	60 mm	100 mm	140 mm
Iroko		•	•	
European Ash	•	•	•	•
Ayous	•	•	•	•
Northern Pine	•	•	•	•
Yellow Pine	•	•		•
Padauk		•	•	





# INDOOR FLOORING: OUR SELECTED PARQUETS

We offer you the possibility to choose among exclusive species, type of flooring, finishings and skirtings.



TYPE OF FLOORING



Solid



Engineering



Finger Joint



Skirting

FINISHING

Factory Finished - Coated on site: oil or varnish


All woods are available in different sizes and with or without bevels\*:

Thickness : from 10 to 20 mm

Width : from 50 to 140 mm

Length : from 400 to 1800 mm

(\*depending on the species and types of flooring)



## WOOD SPECIES

Name	Origin
Afzelia Pachyloba (Doussie)	Kamerun, Gabon
Sonokeling	Indonesia
Iroko	Kamerun, Gabon
Merbau	Indonesia
Niove	Kamerun, Gabon
Padauk	Kamerun, Gabon
Teak	Indonesia
Wenge	Republic of Kongo
Zingana (Zebrano)	Kamerun, Gabon
Bamboo	Indonesia
Oak	Western Europe
Jaya	Asia

more species on demand



EXOTIC. EXQUISITE. EXCLUSIVE.

- 1 FLOORING
- 2 GLUE
- 3 PRIMER
- 4 LEVELLER
- 5 CONCRETE



**Softclean**<sup>®</sup>

## DECK MAINTENANCE

Your Vetedy Softline<sup>®</sup> Deck is free of maintenance if you like to let it turn grey over time because of rain and pollution. Otherwise we suggest you the use of our cleaning soap, the Softclean<sup>®</sup>, to give your decking a new brightness. This process can be made once per year with notable benefits: Best market result, fast, easy and way cheaper compared to any kinds of coating solutions.



**The original**<sup>®</sup>

## CLADDING / CEILING MAINTENANCE

Same as your deck, your cladding / ceiling is free of maintenance. However if you would like to get back its brightness we suggest you to use our maintenance product, The Original<sup>®</sup>. It's a powerful and active cleaning agent that you simply need to spray on the wooden surface, results are bluffing!




# PORTFOLIO






Merbau Flooring - Indonesia



Teak Flooring - Iran



Softline® Padouk Decking - Malta



Softline® Merbau Decking - Iran



Softline® Jaya Decking - Sri Lanka




Techniclic® Padouk Cladding - Belgium



Softline® Merbau Decking - Indonesia



Softline® Merbau Decking - Egypt




Softline® Padouk Decking - Jakarta



Jaya Floring - Srilanka



Softline® Jaya Decking - Indonesia




Softline® Padouk Decking - Belgium



Softline® Padouk Decking - Italy



Technic® Padouk Cladding - Belgium



Softline® Merbau Decking - Bali



Corporate Social Responsibility

## OUR COMMITMENT

Wood has always been the core material in Vetedy's products. Therefore, it is our wish and obligation to think about the consequences for the environment and to respect environmental issues and values to heart: from the origin of the wood to the reduction of waste.

Wood is infinitely renewable. It is the world's most renewable source and environmentally friendly raw material. We can always replace it. Thanks not only to all our certifications but also to our yearly expansion, we are able to control the whole supply chain and we can therefore insure ourselves about the origin of each tree.

In order to minimize our waste production, wastes are being re-used for other means as fuel for the drying ovens or to make finger joints parquets recycled from the leftovers zone.

## CERTIFICATES



**FSC:** FSC is a global, not-for-profit organization dedicated to the promotion of responsible forest management worldwide. Their members include some of the world's leading environmental NGOs ( WWF and Greenpeace ), businesses ( Tetra Pak and Mondi PLC ) and social organizations.



**SVLK:** Timber Legality Assurance System. We're very proud to be the first company of Indonesia to have this certification. This proves the legal origin of each single tree by a sustainable forest management. It is nowadays necessary for both the Indonesian market & for the export as many countries don't allow their companies to import without this certificate.



**IBAMA & OLB:** These certificates attest compliance with the law by a logging company and the traceability of its wood products. It concerns not only the forest law, but also those related to finances, employment, the environment, etc.



**Luxembourg Product:** The head quarter from Vetedy Group as well as the R&D department is based in the Grand Duchy of Luxembourg. The founder and the history of Vetedy's products are originally from Luxembourg too.



**Made in Europe:** All our products are following the European standards such as all the ISO and DTU norms. Our is a European wide patent system.



**Made in Indonesia:** We are proud to explain to our customers that our Indonesian wood species and some of our material are fully manufactured in Indonesia. This gives us the satisfaction to contribute to the Indonesian economy growth by our small fingerprint.

**Other certifications:** Vetedy Group won the Belgian entrepreneur competition in 2009. Our Techniclic System for façade, ceilings, inside wall coverings is a worldwide patent system.

## BECOME A PARTNER

---

At Vetedy, we are continuously seeking to expand our global distribution network by providing unique and durable solutions to meet your clients's wood decking, cladding / ceiling and flooring needs.



## WHAT MAKES US SPECIAL?

---

### EXCLUSIVE

You choose to introduce patented unique, durable and highly designed products that none of your competitors have.

### COMMERCIAL SUPPORT

We will provide you sales training, sales tools, participate to your big client meetings, forward you leads and support your staff.

### MARKETING SUPPORT

Pictures, brochures, videos, presentations, logos, listing on our website.

### TECHNICAL SUPPORT

Technical trainings will be organized at our factories. Our people will help you in your daily work to find the best solution. We also provide CAD drawings, datasheets and certificates for your project tender.

### EXPERIENCE

You can count on our long and global experience to help you in your deepest specific needs: wood knowledge, site solution and commercial strategy.